
# Move/5000

The future of payments is mobility



Designed for both indoor and outdoor use, the compact Move/5000 is the perfect business companion. No matter the situation, whether it be a peak sales shopping day, a taxi or delivery driver darting around the city, or a customer enquiring about a product's stock, the Move/5000 gets the job done, hassle-free.

Perfect for hospitality, high street and small merchants alike, the Move/5000 creates a seamless shopping experience that's free from the checkout. Through enhanced contactless processing and improved signature capture capabilities, this terminal enables a faster transaction flow to speed up the payment process.



## Ease of introduction

The Telium TETRA OS integrates with existing payment methods to ensure a seamless introduction into a business' payment environment. Merchants also have greater control over the payment experience that they're offering customers by utilising useful HTML5 applications.

# Alternative payment methods

From mobile wallets to traditional payments schemes, Move/5000 has it covered. The Move/5000 contains payment hardware such as NFC couponing, chip & PIN, swipe and sign, contactless and more to facilitate the processing of alternative payment methods – including those enabled by camera, like QR codes.

## Tough security

The Move/5000 is certified and fully compliant with the latest global and local PCI regulations. The Telium TETRA OS has been future-proofed with top-of-the-line cryptography software and Ingenico's world-class peer-to-peer encryption technology to keep data safe.

#### Staying connected

Even on the go, those using the Move/5000 terminal will have strong connections to the internet. That's because this terminal utilises a wide range of wireless connectivity options and automatic network switching between 4G, 3G, 2G, Dual SIM, Bluetooth and WiFi – all fully optimised so that connection will always be viable.

# Enhanced design

A sleek all-black design brings an air of professionalism to this terminal, while its new and ultra-responsive rubber keypad improves PIN entry for customers.



## Easy to see, easy to use

This terminal is dynamic by design, and its intuitive user interface – including powerful multimedia capabilities and a large 3.5 inch colour touchscreen – creates an optimal experience for customers.

#### Keeping it green

As well as state-of-the-art manufacturing techniques enhancing the recyclability of this terminal range, paper consumption has been reduced on the Move/5000 thanks to new digital receipt solutions and digitised product documentation.

#### Compatible with Ingenico's suite of services

Keeping the solutions connected, the Move/5000 works in unison with Ingenico's supporting service platforms, meaning merchants will have access to business services such as back office reporting and e-receipt management. Software updates and day-to-day support deliver a hassle-free experience for those using this innovative range.







-		0.1.15					
Processor	Application and crypto processor	Cortex A5	•	Thermal printer	Speed in I/s Paper roll cage	Up to 30 l/s 58 mm width x Ø 40 mm	Optional
Memory	Internal	512 MB Flash, 512 MB RAM	•			58 mm width x Ø 25 mm	Optional
	External	MicroSD up to 32GB	•	Terminal	WAN	4G and/or 3G with fallback	Optional
OS		Telium TETRA	•	connectivity	LAN Multicom	WiFi and/or Bluetooth WAN + LAN	Optional Optional
SIM		1 SIM 2 SIM	Optional ●	Terminal connections	USB Power Supply	Host and slave Dedicated Power Jack	•
SAM		2 SAM 3 SAM	• Optional	Battery	Li-ion	2900mAh	•
Card readers	Magstripe Smart card Contactless	ISO 1/2/3, 500K lifespan EMV Level 1, 500K lifespan EMV Level 1	•	Terminal size	Ø 40 mm Ø 25 mm	169 x 78 x 57 mm (6.6x3.1x2.2") 160 x 78 x 47 mm (6.3x3.1x1.9")	•
Display	Colour	3.5" backlit, HVGA (480x320) pixels	•	Weight	Terminal and battery	320 g (11 oz)	٠
Touchscreen	Resistive Capacitive		Optional	Environment	Operating temperature Storage temperature Operating humidity	-10°C to +50°C (14°F to 122°F) -20°C to +55°C (-4°F to 131°F) 85% non-condensing at 40°C	•
Keypad		16 keys, raised marking, backlit	•			(104°F)	
Audio	Buzzer Speaker Audio Jack	Mono Stereo	Optional Optional	Accessory	Privacy shield Car Charger Docking-station	Factory Mounted Charger 2 RS232	Optional Optional Optional
Video	Video accelerator	H264 codec	•			USB host USB slave	Optional Optional
Data capture	Positioning Barcode reader Camera	GPS tracking 1D/2D 5M pixels autofocus	Optional Optional Optional		Stylus Kit	Modem Ethernet 10/100 Base T Bluetooth	Optional Optional Optional Optional
Battery	Li-ion	2900mAh	•	Security		PCI PTS 5.x online and offline certified	•

